

2025 CORPORATE PRESENTATION

Forward-Looking Statements

Various statements in this presentation, including, but not limited to, the guidance provided under "2025 Financial Guidance" and statements regarding Vanda's commercial products, plans, priorities and opportunities, as well as statements about Vanda's strategic focus and its products in development and the related clinical development and regulatory timelines and commercial and therapeutic potential for such products, are "forward-looking statements" under the securities laws. All statements other than statements of historical fact are statements that could be deemed forward-looking statements. Forward-looking statements are based upon current expectations and assumptions that involve risks, changes in circumstances and uncertainties. If the risks, changes in circumstances or uncertainties materialize or the assumptions prove incorrect, Vanda's results may differ materially from those expressed or implied by such forward-looking statements. Therefore, no assurance can be given that the results or developments anticipated by Vanda will be realized or, even if substantially realized, that they will have the expected consequences to, or effect on, Vanda. Important factors that could cause actual results to differ materially from those reflected in Vanda's forward-looking statements include, among others: Vanda's ability to generate U.S. sales of Fanapt® for the acute treatment of bipolar I disorder in adults; Vanda's ability to continue to generate U.S. sales of Fanapt® for the treatment of schizophrenia; Vanda's ability to continue to commercialize HETLIOZ® for the treatment of Non-24-Hour Sleep-Wake Disorder (Non-24) in the U.S., in light of existing and potential generic competition, and Europe and for the treatment of nighttime sleep disturbances in Smith-Magenis Syndrome (SMS) in the U.S.; Vanda's ability to increase market awareness of Non-24 and SMS and market acceptance of HETLIOZ®; Vanda's ability to obtain regulatory approval in Europe for HETLIOZ® in SMS; Vanda's ability to overcome the increased reimbursement challenges it faces as a result of declining third-party payor coverage; Vanda's ability to generate U.S. and Canadian sales of PONVORY® for the treatment of relapsing forms of multiple sclerosis; Vanda's ability to resolve or otherwise address the deficiencies identified by the FDA in the complete response letters relating to HETLIOZ® for the treatment of insomnia and tradipitant for the treatment of gastroparesis and to obtain regulatory approval of HETLIOZ® and tradipitant for such indications; the FDA's ability to complete its reviews of, and reach decisions with respect to, the New Drug Applications for Bysanti™ for the treatments of acute bipolar I disorder and schizophrenia and tradipitant for the treatment of motion sickness by their respective PDUFA target action dates; the FDA's ability to complete its re-review of, and reach a decision with respect to, the supplemental New Drug Application for HETLIOZ® for the treatment of jet lag disorder by January 7, 2026; Vanda's ability to complete the clinical development of and obtain regulatory approval of the Fanapt® long acting injectable (LAI), Bysanti™ in the treatment of major depressive disorder, HETLIOZ® in the treatment of delayed sleep phase disorder and pediatric Non-24, HETLIOZ LQ® in the treatment of pediatric insomnia, tradipitant in the treatment of vomiting induced by a GLP-1 analog, PONVORY® in the treatment of psoriasis and ulcerative colitis, imsidolimab in the treatment of generalized pustular psoriasis, VSJ-110 for the treatment of dry eye, VPO-227 for the treatment of secretory diarrhea disorders, including cholera, VTR-297 in the treatment of hematologic malignancies and onychomycosis, and VQW-765 for the treatment of social/performance anxiety; Vanda's ability to progress VCA-894A in Charcot-Marie-Tooth Disease; Vanda's ability to leverage the ASO platform to develop precision medicine therapeutics; Vanda's ability to realize the benefits of its strategic focus; Vanda's ability to satisfy the conditions necessary to extend patent exclusivity for the Fanapt® LAI into the 2040s; Vanda's dependence on third-party manufacturers to manufacture Fanapt®, HETLIOZ® and PONVORY® in sufficient quantities and quality; Vanda's ability to prepare, file, prosecute, defend and enforce any patent claims and other intellectual property rights; Vanda's ability to maintain rights to develop and commercialize Vanda's products under its license agreements; Vanda's ability to obtain and maintain regulatory approval of Vanda's products, and the labeling for any approved products; Vanda's level of success in commercializing Fanapt® and HETLIOZ® in new markets; Vanda's expectations regarding the timing and success of preclinical studies and clinical trials; the safety and efficacy of Vanda's products; regulatory developments in the U.S., Europe and other jurisdictions; limitations on Vanda's ability to utilize some or all of its prior net operating losses and orphan drug and research development credits; the size and growth of the potential markets for Vanda's products and the ability to serve those markets; the accuracy of the third-party market and other data on which Vanda relies; Vanda's expectations regarding trends with respect to its revenues, costs, expenses, liabilities and cash, cash equivalents and marketable securities; Vanda's ability to identify or obtain rights to new products; Vanda's ability to attract and retain key scientific or management personnel; the costs and effects of litigation; Vanda's ability to obtain the capital necessary to fund its research and development or commercial activities; the costs and effects of litigation; potential losses incurred from product liability claims made against Vanda; the use of existing cash, cash eguivalents and marketable securities and other factors that are described in the "Cautionary Note Regarding Forward-Looking Statements", "Risk Factors" and "Management's Discussion and Analysis of Financial Condition and Results of Operations" sections of Vanda's most recent annual report on Form 10-K, as updated by Vanda's subsequent guarterly reports on Form 10-Q, current reports on Form 8-K and other filings with the SEC, which are available on the SEC's website at www.sec.gov.

Vanda cautions investors not to rely too heavily on the forward-looking statements contained in this presentation. All written and oral forward-looking statements attributable to Vanda or any person acting on its behalf are expressly qualified in their entirety by the cautionary statements contained or referred to herein. The information in this presentation is provided only as of the date of this presentation, and Vanda undertakes no obligation, and specifically declines any obligation, to update or revise publicly any forward-looking statements, whether as a result of new information, future events, or otherwise, except as required by law.

Vanda Pharmaceuticals Inc. (VNDA)



Vanda is a leading global biopharmaceutical company dedicated to innovating in the service of people's pursuit of happiness








Commercialized Products







- Fanapt[®] is approved in the U.S. for the acute treatment of bipolar I disorder in adults and for the treatment of adults with schizophrenia.
- Pursuing FDA approval for Bysanti[™]

 (milsaperidone) for the treatment of adults with acute bipolar I disorder and schizophrenia.

 NDA accepted for filing by the FDA with a PDUFA target action date in February 2026.

 Clinical program in major depressive disorder (MDD) ongoing with results expected in 2026.
- Phase III program for Fanapt Long Acting Injectable (LAI) ongoing.

- HETLIOZ® oral capsules are approved in the U.S. and Europe for the treatment of Non-24-Hour Sleep-Wake Disorder (Non-24).
- HETLIOZ® oral capsules and HETLIOZ LQ® liquid formulation are approved in the U.S. for the treatment of nighttime sleep disturbances in adults and children, respectively, with Smith-Magenis Syndrome (SMS).
- Continuing to pursue FDA approvals for HETLIOZ[®] in the indications of insomnia and jet lag disorder.
- HETLIOZ LQ[®] program in pediatric insomnia initiated.

- PONVORY® is indicated for the treatment of relapsing forms of multiple sclerosis (MS), to include clinically isolated syndrome, relapsingremitting disease, and active secondary progressive disease, in adults.
- IND applications for PONVORY® in the treatments of psoriasis and ulcerative colitis accepted.

Strategic Focus









Commercial Priorities & Milestones





- Commercial launch of Fanapt[®] in acute bipolar I disorder.
- Continued focus on market for schizophrenia.
- Pursue FDA approval for BysantiTM (milsaperidone) for the treatment of adults with acute bipolar I disorder and schizophrenia.
- Advance BysantiTM
 (milsaperidone) major
 depressive disorder (MDD) and
 Fanapt[®] Long Acting Injectable
 (LAI) programs.



- Retain market share despite generic competition through focus on patient loyalty.
- Continue growth of HETLIOZ[®] in SMS in U.S. market.
- Pursue approval of HETLIOZ[®] in SMS in the E.U. market.
- Continue to pursue FDA approvals for HETLIOZ[®] in the indications of insomnia and jet lag disorder.
- HETLIOZ LQ® program in pediatric insomnia initiated.



- Commercial launch in existing multiple sclerosis (MS) market.
- IND applications for PONVORY® in the treatments of psoriasis and ulcerative colitis accepted.



- Pursue FDA approval for tradipitant in patients with motion sickness.
- Continue to pursue FDA approval for tradipitant in patients with gastroparesis.

Upcoming Milestones



- A clinical study of tradipitant in the prevention of vomiting induced by a GLP-1 analog, Wegovy® (semaglutide), is now complete. Results are expected in the fourth quarter of 2025.
- Tradipitant NDA for motion sickness is under review by the FDA with a PDUFA target action date of December 30, 2025.
- Imsidolimab Biologics License Application (BLA) in generalized pustular psoriasis (GPP) expected to be submitted to the FDA in the fourth quarter of 2025.
- The FDA will conduct an expedited re-review of Vanda's supplemental New Drug Application (sNDA) for HETLIOZ® for the treatment of jet lag disorder by January 7, 2026, including consideration of alternative or narrowed indications focusing on the sleep-related aspects of jet lag disorder.
- Bysanti™ NDA for bipolar I disorder and schizophrenia is under review by the FDA with a PDUFA target action date of February 21, 2026.
- A Bysanti[™] Phase III clinical study for use as a once-daily adjunctive treatment for major depressive disorder (MDD) is enrolling patients and results are expected in 2026.



Research and Development

Late-Stage Clinical Development Pipeline



Product	Indication	Preclinical	Phase I	Phase II	Phase III	Regulatory
Fanapt® (iloperidone) tablets 1 mg, 2 mg, 4 mg, 6 mg, 8 mg, 10 mg, 12 mg	Long Acting Injectable (LAI)				•	
Bysanti ™ (milsaperidone)	Bipolar I Disorder Schizophrenia Major Depressive Disorder				•	
Hetlioz® (tasimelteon) capsules 20 mg	Jet Lag Disorder Insomnia Pediatric Insomnia Delayed Sleep Phase Disorder Pediatric Non-24					
S Ponvory (ponesimod)	Psoriasis Ulcerative Colitis				-	
Tradipitant	Gastroparesis Motion Sickness Vomiting induced by a GLP-1					
Imsidolimab	Generalized Pustular Psoriasis				•	9



Fanapt® Lifecycle Management

Fanapt® Lifecycle Management Programs



1

Bipolar I Disorder

- FDA approved Fanapt® in bipolar I disorder in adults in April 2024.
- Submitted MAA to the EMA in Q4 2024.

2

Long Acting Injectable

- Phase III program for the LAI formulation of Fanapt® is ongoing. Fanapt® LAI could reach the U.S. market after 2026 and there are pending patent applications that, if issued, could extend exclusivity into 2040s.
- Initiated a study of the LAI as a once-a-month injectable for the treatment of uncontrolled hypertension.



BysantiTM

Bysanti™ Lifecycle Management Programs



1

Schizophrenia / Bipolar I Disorder

• NDA for Bysanti[™] for the treatment of bipolar I disorder and schizophrenia was accepted by the FDA with a PDUFA target action date in February 2026.

2

Major Depressive Disorder (MDD)

• A Bysanti™ Phase III clinical study for use as a once-daily adjunctive treatment for major depressive disorder (MDD) is enrolling patients and results are expected in 2026.



HETLIOZ® Lifecycle Management

HETLIOZ® Lifecycle Management Programs





Jet Lag Disorder

• FDA to complete a re-review of Hetlioz for Jet Lag by January 7th, 2026.

2 Insomnia

- · Clinical program completed; continuing to pursue FDA approval
- Delayed Sleep Phase Disorder
 - · Phase III program initiated
- Non-24 Pediatric
 - Phase III clinical program in preparation
- Pediatric Insomnia
 - HETLIOZ LQ® Phase III program initiated



Tradipitant Programs

Tradipitant Programs



1

Motion Sickness

- NDA for tradipitant for the treatment of motion sickness was accepted by the FDA with a PDUFA target action date in December 2025.
- First Phase III positive study results reported in May 2023; Second Phase III positive study results reported in May 2024; Phase II positive study results reported in July 2019.

2

Gastroparesis

- Continuing to pursue FDA approval for tradipitant in patients with gastroparesis.
- Phase III study results reported in February 2022; 12-week study of ~200 patients with idiopathic or diabetic gastroparesis.
- Phase II positive study with results reported in December 2018 and published in Gastroenterology in January 2021.

3

Vomiting induced by a GLP-1 analog

- A clinical study of tradipitant in the prevention of vomiting induced by a GLP-1 analog, Wegovy® (semaglutide), is now complete.
- Results are expected in the fourth quarter of 2025.



Motion Sickness



Tradipitant for Motion Sickness



Neurokinin-1 (NK-1) receptor antagonists have the potential to be effective in improving the symptoms of motion sickness, given the involvement of substance P in nauseogenic and emetic pathways and the expression of NK-1 receptors in the gastrointestinal system.¹



Nausea and vomiting are the core symptoms of motion sickness²



The sensory mismatch resulting in motion sickness is due to discordance between actual and expected movement as perceived by the visual, vestibular, and kinesthetic systems³



About 2 to 3 million doses of Dramamine are purchased each month in the U.S.⁴







^{1.} Polymeropoulos VM, Czeisler MÉ, Gibson MM, Anderson AA, Miglo J, Wang J, Xiao C, Polymeropoulos CM, Birznieks G and Polymeropoulos MH (2020) Tradipitant in the Treatment of Motion Sickness: A Randomized, Double-Blind, Placebo-Controlled Study. Front. Neurol. 11:563373. doi: 10.3389/fneur.2020.563373

^{2.} Golding JF. Motion sickness. In: Furman JM, Lempert T, editors. Handbook of Clinical Neurology. Amsterdam, Boston, Heidelberg, London, New York, Oxford, Paris, San Diego, San Francisco, Singapore, Sydney. Tokyo: Elsevier. (2016). p. 371–90.

3. Graybiel A, Knepton J. Sopite syndrome: a sometimes sole manifestation of motion sickness. Aviat Space Envrion Med. (1976) 47:873–82.

^{4.} IQVIA data

Motion Sickness: Phase III Program



- First and Second Phase III studies completed Positive results in prevention of vomiting
- Open label safety study started
- NDA accepted with PDUFA date in December 2025

Enrollment



- First Phase III Study: 365 randomized
 - 85 and 170mg tradipitant both met primary endpoint preventing vomiting on the boats
- o Second Phase III Study: 316 randomized
 - 170mg met primary endpoint and
 85mg met secondary endpoint,
 both preventing vomiting on the
 boats


Program Timeline



- First Phase III results reported in May 2023
- Second Phase III results reported in May 2024
- NDA accepted with PDUFA date in December 2025


Motion Sickness: First Phase III Study

- 365 participant study across 34 boat trips in coastal waters of U.S. from November 2021 to April 2023
- Participants randomized 1:1:1 tradipitant 170mg v tradipitant 85mg v placebo 1 hour prior to departure
- Approximately 4-hour trips with questionnaires of vomiting and nausea every 30 minutes
- Incidence of vomiting was significantly lower in tradipitant 170mg (18.3%) and tradipitant 85mg (19.5%) as compared to placebo (44.3%)



Motion Sickness: Second Phase III Study

- 316 participant study across 20 boat trips in coastal waters of U.S. from September 2023 and April 2024
- Participants randomized 1:1:1 tradipitant 170mg v tradipitant 85mg v placebo 1 hour prior to departure
- Approximately 4-hour trips with questionnaires of vomiting and nausea every 30 minutes
- Incidence of vomiting was significantly lower in tradipitant 170mg (10.4%) and tradipitant 85mg (18.3%) as compared to placebo (37.7%)





Gastroparesis

Tradipitant for Gastroparesis

- Completed two clinical studies of tradipitant in gastroparesis.
- Gastroparesis is a significant unmet medical need.
- Last treatment approved more than 40 years ago¹.




600,000 people estimated to be diagnosed in the U.S.²

diagnosed



month.3



^{2.} Rey et al J Neurogastroenterol Motil, Jan 2012.

^{3.} IQVIA Prescription Data

Gastroparesis – Symptoms & Clinical Expression¹



Diabetic or Idiopathic Gastroparesis

Chronic Nausea



Patients with gastroparesis suffer from chronic, severe and debilitating nausea.



Vomiting

Gastroparesis can cause vomiting, which can lead to weight loss and hospitalization due to nutritional deficiencies.

Delayed Gastric Emptying



Many patients with gastroparesis have a mechanical defect of delayed gastric emptying, which may be the cause of some of their symptoms.



Additional GI Symptoms

Patients with gastroparesis may also experience postprandial fullness, early satiety and abdominal pain.

Tradipitant Gastroparesis Clinical Program



1

Phase II Study (VP-VLY-686-2301)

- 4-week study of approximately 150 adult patients with diabetic or idiopathic gastroparesis.
- Tradipitant was shown to be effective in improving nausea and overall symptoms in patients with gastroparesis.
- Efficacy established by tradipitant in the 4-week double-blind phase was persistent in the open-label phase.

2

Phase III Study (VP-VLY-686-3301)

- 12-week study of approximately 200 adult patients with diabetic or idiopathic gastroparesis.
- The study did not meet its primary endpoint; however, when accounting for confounders, strong evidence of drug effect across a number of symptoms was observed.
- Open-label phase remains open with over 300 patients already enrolled.

3

Expanded Access Program

- Vanda initiated an expanded access program for patients requesting access to tradipitant outside of the clinical studies.
- Vanda continues to receive requests from patients reaching out to gain access to tradipitant through the Expanded Access program, which has multiple patients continuing to take tradipitant for more than a year.

Gastroparesis – Pooled Study Results



- Vanda completed a pooled analysis of two clinical studies of tradipitant in gastroparesis.
 - Population of 342 patients with relevant clinical endpoints.
 - Both studies were large multi-site, randomized, double-blind, placebo-controlled studies.
- Tradipitant was shown to be superior to placebo in key clinical parameters:
 - Daily Diary-Nausea (primary endpoint parameter)
 - % Nausea Free Days
 - Patient Global Impression scale change (PGI-C)
 - Overall Benefit Score and Gastroparesis Cardinal Symptom Index (GCSI) score
- Both studies demonstrate the efficacy of tradipitant in relieving symptoms of gastroparesis.

Gastroparesis – Pooled Study Results



Figure 1 and Table 1 show the results of such pooled analysis of all patients randomized in the two studies (intent to treat population, ITT) and Figure 2 and Table 2 show the results for the same parameters in the population of patients who were judged as compliant to treatment based on analysis of drug exposure (treatment compliant population).




Table 1: Week 4 Pooled Analysis: ITT population for Study 1 and Study 2

	Tradipitant n=175	Placebo n=167	P-value
DD-Nausea	-1.15	-0.85	0.0138
% Nausea Free Days	20.96	12.52	0.0085
PGI-C	2.72	3.00	0.0237
Overall Benefit Score	1.13	0.88	0.0115
GCSI	-0.99	-0.76	0.0265

Figure 2 Forest Plot on the Analysis Results at Week 4 Pooled Treatment Compliant Population (N=284) Favors Placebo Favors Tradipitant CI P-value Nausea (0.25, 0.79) 0.0002 % Nausea free days* 0.74 (0.38, 1.11) 0.0001 Outcomes PGI-C (0.19. 0.73) 0.0009 Overall Benefit Score (0.17, 0.6) 0.0005 GCSI Total Score 0.4 (0.17, 0.63) 0.0007 -1.0 -0.5 0.0 0.5 1.0 1.5 Difference *The estimated difference and its 95% CI are divided by 20.

Table 2: Week 4 Pooled Analysis: Treatment Compliant Population for Study 1 and Study 2

	Tradipitant n=117	Placebo n=167	P-value
DD-Nausea	-1.37	-0.85	0.0002
% Nausea Free Days	27.44	12.58	0.0001
PGI-C	2.53	2.99	0.0009
Overall Benefit Score	1.27	0.88	0.0005
GCSI	-1.15	-0.75	0.0007



Early-Stage Programs

Early-Stage Programs



Cystic Fibrosis Transmembrane Conductance Regulators (CFTR)


- **VSJ-110** CFTR Activator: VSJ-110 has shown efficacy in a dry eye model¹ and exhibited anti-inflammatory properties in both in vitro and in vivo assays.
- VPO-227 CFTR Inhibitor: CFTR inhibitors decrease water secretion across epithelia, such as where aberrant CFTR activation occurs; they may be useful in the treatment of cholera, traveler's diarrhea, polycystic kidney disease, and other conditions of water hyper-secretion.
- Cholera Disease: VPO-227 was granted Orphan Drug Designation by FDA for the treatment of cholera.

Hematologic Malignancies

- VTR-297 is a histone deacetylase (HDAC) inhibitor.
- Ongoing Phase II study of VTR-297 in Hematologic Malignancies at sites in the U.S. and Europe.
- Phase I study of VTR-297 for the treatment of onychomycosis, a fungal infection of the nail, initiated.

Social/Performance Anxiety

- VQW-765 is an Alpha-7 nicotinic acetylcholine receptor partial agonist.
- Phase II study of a single-dose treatment to alleviate social/performance anxiety completed in December 2022.
 Vanda has initiated a Phase III program and is enrolling patients.



Lee, S., P.W. Phuan, C.M. Felix, J.A. Tan, M.H. Levin and A.S. Verkman

(2017). Nanomolar-potency aminophenyl-1,3,5-triazine activators of the cystic fibrosis transmembrane conductance regulator (CFTR) chloride

channel for prosecretory therapy of dry eye diseases. J. Med. Chem.

60:1210-1218.

Early-Stage Programs













Antisense Oligonucleotide (ASO)

- IND application for VCA-894A in the treatment of Charcot-Marie-Tooth disease, axonal, type 2S (CMT2S), an inherited peripheral neuropathy for which there is no available treatment, was accepted by the FDA in 2024. Previously in 2023, VCA-894A was granted Orphan Drug Designation for the same indication. The Phase I clinical study for VCA-894A enrolled a patient in 2025.
- In September 2022, Vanda and OliPass Corporation (OliPass) announced a research and development agreement to jointly develop a set of antisense oligonucleotide (ASO) molecules based on OliPass' proprietary modified peptide nucleic acids.
- This evolving discovery and development platform is intended to support Vanda's development of ASO-based precision medicine therapeutics.
- In December 2024, Vanda announced that the FDA has granted Orphan Drug Designation for VGT-1849A, a selective antisense oligonucleotide (ASO)-based JAK2 inhibitor for the treatment of polycythemia vera (PV). In August 2025, Vanda announced that the FDA has granted Orphan Drug Designation for VGT-1849B, a selective peptide nucleic acid-based JAK2 inhibitor for the treatment of polycythemia vera (PV).

OliPass Peptide Nucleic Acids (OPNA) - Chemically modified PNA





Financial Results



Financial Objectives & Highlights



2025 Financial Guidance¹

Total Revenues

\$210M - \$230M

Year-end 2025 Cash

\$260M - \$290M

Q3 2025 Financial Highlights

\$56.3 million

Total net product sales from Fanapt[®], HETLIOZ[®] and PONVORY[®] were \$56.3 million in the third quarter of 2025



Fanapt® net product sales were \$31.2 million in the third quarter of 2025



HETLIOZ® net product sales were \$18.0 million in the third quarter of 2025



PONVORY® net product sales were \$7.0 million in the third quarter of 2025

Financials – Results Through September 30, 2025 (YTD)

Results Through September 30, 2025

Fanapt® Net Product Sales	\$84.1M
---------------------------	---------

HETLIOZ® Net Product Sales \$55.0M

PONVORY® Net Product Sales \$19.8M

Total Revenues \$158.9M

Cost of Goods Sold \$9.2M

Research & Development \$80.3M

Selling, General & Administrative \$175.0M

Intangible Asset Amortization \$5.3M

Operating Expenses \$269.7M

Net Income (Loss) (\$79.3M)

Cash¹ \$293.8M

Weighted Average Shares O/S 58,873,268

1.Cash, cash equivalents and marketable securities 34





For more information on Fanapt®, please visit www.FANAPT.com



For more information on HETLIOZ®, please visit www.HETLIOZ.com



For more information on PONVORY®, please visit www.PONVORYUS.com

